


GFP labeling indicates that neurons are primarily infected with the *in vivo* vector



FIGURE 1







FIGURE 2

FIGURE 3


LENTIVIRAL GENE DELIVERY DOES NOT INDUCE IMMUNE RESPONSE OR CYTOTOXICITY



CD3 (A-C) and CD8 (D) labeling shows minimal or no inflammatory response to *in vivo* GDNF gene delivery using lentiviral vectors 3 months after injection into the rhesus monkey striatum

FIGURE 4

Number of p75-labeled Neurons in the Nucleus Basalis



Size of p75 labeled Neurons in the Nucleus Basalis

FIGURE 5







FIGURE 6

Cholinergic Neuronal Rescue

FIGURE 7



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.